

SAFETY DATA SHEET

According to OSHA Hazcom Standard 29 CFR 1910.1200

KA161,KA162,KA164

Date of issue: 2013-12-01

Revision date: 2025-11-20

Version: 1.4

1. IDENTIFICATION

A. Product name

- KA161,KA162,KA164

B. Recommended use and restriction on use

- General use: Grinding
- Restriction on use: Do not use it for anything other than its purpose

C. Manufacturer / Supplier / Distributor information

○ Manufacturer information

- Company name: DEERFOS
- Address: 52, Gajwa-ro 83beon-gil, Seo-gu, Incheon
- Emergency telephone number: +82-10-2800-5142

○ Supplier/Distributor information

- Company name: DEERFOS
- Address: 52, Gajwa-ro 83beon-gil, Seo-gu, Incheon
- Emergency telephone number: +82-10-2800-5142

2. HAZARD IDENTIFICATION

A. GHS Classification

- Serious eye damage/irritation : Category2
- Skin sensitization : Category1
- Specific target organ toxicity(Single exposure) : Category3(Respiratory tract irritation)
- Specific target organ toxicity(Repeated exposure) : Category1

B. GHS label elements

○ Hazard symbols



○ Signal words

- Danger

○ Hazard statements

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation.
- H372 Causes damage to organs through prolonged or repeated exposure

o **Precautionary statements**

1) Prevention

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2) Response

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P314 Get medical advice/attention if you feel unwell.
- P321 Specific treatment (if in eyes, wash with plenty of running water, if in contact with skin, wash with plenty of running water; if inhaled, move to fresh air; if ingested, seek medical advice on whether to induce vomiting)
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash before reuse.

3) Storage

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

C. Other hazards which do not result in classification

- Not available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Aluminium oxide	Alpha-alumina ; Beta-alumina ; Gamma-alumina ; Alpha-aluminum oxide ; Beta-aluminum oxide ; Gamma-aluminum oxide ; Delta-aluminum oxide ; Aluminium trioxide ;	1344-28-1	27.0 ~ 37.0
Cotton	Cotton(Cellulose)	Not available	16.0 ~ 26.0
Phenol polymer with formaldehyde	PHENOLIC RESIN	9003-35-4	13.0 ~ 21.0

Limestone	Calcium carbonate ; Calcite ; Marble	1317-65-3	12.0 ~ 20.0
Acetic acid ethenyl ester polymer with ethenol	Wikol	25213-24-5	4.0 ~ 13.0
Etc	Etc	Not available	3.0 ~ 9.0

4. FIRST AID MEASURES

A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.
- Go to the hospital immediately if symptoms(flare, irritate) occur.
- Remove contact lenses if worn.

B. Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.
- Get medical attention immediately.
- Go to the hospital immediately if symptoms(flare, irritate) occur.
- Wash thoroughly after handling.

C. Inhalation contact

- Take specific treatment if needed.
- When exposed to large amounts of steam and mist, move to fresh air.
- Get medical attention immediately.

D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

5. FIREFIGHTING MEASURES

A. Suitable (Unsuitable) extinguishing media

- Avoid use of water jet for extinguishing
- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray

B. Specific hazards arising from the chemical

- Causes damage to organs through prolonged or repeated exposure

- Causes serious eye irritation
- May cause an allergic skin reaction
- May cause respiratory irritation.

C. Special protective actions for firefighters

- Avoid inhalation of materials or combustion by-products.
- Cool containers with water until well after fire is out.
- Do not approach the tank surrounded by fire until it is extinguished.
- In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to burn.
- Keep unauthorized personnel out.

6. ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency procedures

- Do not touch spilled material. Stop leak if you can do it without risk.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment
- Move container to safe area from the leak area.
- Must work against the wind, let the upwind people to evacuate.
- Remove all sources of ignition.

B. Environmental precautions

- If large amounts have been spilled, inform the relevant authorities.
- Prevent runoff and contact with waterways, drains or sewers.

C. Methods and materials for containment and cleaning up

- Appropriate container for disposal of spilled material collected.
- Disposal of waste shall be in compliance with the Wastes Control Act
- Dust spills : Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.

7. HANDLING AND STORAGE

A. Precautions for safe handling

- Avoid contact with incompatible materials.
- Avoid direct physical contact.
- Comply with all applicable laws and regulations for handling
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.

B. Conditions for safe storage, including any incompatibilities

- Avoid direct sunlight.
- Check regularly for leaks.
- Do not apply any physical shock to container.
- Do not apply direct heat.
- Do not use damaged containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limits

- **ACGIH TLV**
 - [Aluminium oxide] : TWA 10 mg/m³
- **OSHA PEL**
 - [Aluminium oxide] : 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction)
 - [Limestone] : 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction)

B. Engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.

C. Individual protection measures, such as personal protective equipment

- Respiratory protection
 - Air-purifying respirator with high-efficiency particulate filtering
 - Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
 - Consider warning properties before use.
 - Dust, mist, fume-purifying respiratory protection
 - For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.
 - Respiratory protection is ranked in order from minimum to maximum.
 - Self-contained breathing apparatus with a corpuscle filter of high efficiency
 - Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- Eye protection
 - Provide an emergency eye wash station and quick drench shower in the immediate work area.
 - Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Hand protection
 - Wear appropriate chemical resistant glove.
- Skin protection
 - Wear appropriate chemical resistant protective clothing.
- **Others**
 - Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance	
- Appearance	Solid
- Color	Dark Brown
B. Odor	None
C. Odor threshold	Not available
D. pH	Not available
E. Melting point/Freezing point	Not available
F. Initial Boiling Point/Boiling Ranges	Not available
G. Flash point	Not available

H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	Not available
L. Solubility	Not available
M. Vapour density	Not available
N. Specific gravity(Relative density)	Not available
O. Partition coefficient of n-octanol/water	Not available
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	Not available

10. STABILITY AND REACTIVITY

A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid: Heating, Flames and hot surfaces

D. Incompatible materials

- Not available

E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

11. TOXICOLOGICAL INFORMATION

A. Information on the likely routes of exposure

- **Respiratory tracts**
 - May cause respiratory irritation.
- **Oral**
 - Not available
- **Eye•Skin**
 - May cause an allergic skin reaction

B. Delayed and immediate effects and also chronic effects from short and long term exposure

- **Acute toxicity**
 - * **Oral**
 - Product (ATEmix) : >5000mg/kg
 - [Aluminium oxide] : LD50 > 10000 mg/kg Rat (OECD TG 401) (ECHA)
 - [Phenol polymer with formaldehyde] : LD50 > 5000 mg/kg Rat (ECHA)

- [Acetic acid ethenyl ester polymer with ethenol] : LD50 23,854 mg/kg Rat (RTECS)

*** Dermal**

- Product (ATEmix) : >5000mg/kg

- [Phenol polymer with formaldehyde] : LD50 > 2000 mg/kg Rat (ECHA)

- [Acetic acid ethenyl ester polymer with ethenol] : LD50 > 7940 mg/kg Rabbit (RTECS)

*** Inhalation**

- Product (ATEmix) : >10.0mg/L, Dusts/Mists, 4hr

- [Aluminium oxide] : Aerosol LC50 > 2.3 mg/L 4hr Rat No death Not classified (OECD TG 403, GLP) (ECHA)

○ **Skin corrosion/irritation**

- Not available

○ **Serious eye damage/irritation**

- Causes serious eye irritation

○ **Respiratory sensitization**

- Not available

○ **Skin sensitization**

- May cause an allergic skin reaction

○ **Carcinogenicity**

*** IARC**

- Not available

*** OSHA**

- Not available

*** ACGIH**

- [Aluminium oxide] : A4 (Aluminum insoluble compounds)

*** NTP**

- Not available

*** EU CLP**

- Not available

○ **Germ cell mutagenicity**

- Not available

○ **Reproductive toxicity**

- Not available

○ **STOT-single exposure**

- May cause respiratory irritation.

○ **STOT-repeated exposure**

- Causes damage to organs through prolonged or repeated exposure

○ **Aspiration hazard**

- Not available

12. ECOLOGICAL INFORMATION

A. Ecotoxicity

○ **Fish**

- [Aluminium oxide] : LC50 114.97 mg/L 96 hr Channa marulius (Read across CAS No. 7446-70-0) (ECHA)

- [Phenol polymer with formaldehyde] : LC50 185mg/L 48h Oncorhynchus mykiss (ECHA)

○ **Crustaceans**

- [Aluminium oxide] : LC50 306.89 mg/L 48 hr *Melanoides tuberculata*, NOEC 4.9 mg/L 8 d *Ceriodaphnia* sp. (ECHA)
- [Phenol polymer with formaldehyde] : EC50 172mg/L 48h *Daphnia pulex* (OECD TG 202)(ECHA)
- **Algae**
 - [Aluminium oxide] : EC50 > 0.103 mg/L 72 hr *Raphidocelis subcapitata* (OECD TG 201, GLP) (ECHA)
 - [Phenol polymer with formaldehyde] : EC50 575mg/L 24h *Desmodesmus subspicatus* (ECHA)

B. Persistence and degradability

- **Persistence**
 - [Phenol polymer with formaldehyde] : log Pow 3.564 (OECD TG 117)(ECHA)
 - [Acetic acid ethenyl ester polymer with ethenol] : (Not applicable)
- **Degradability**
 - Not available

C. Bioaccumulative potential

- **Bioaccumulative potential**
 - [Phenol polymer with formaldehyde] : BCF 8.142 (ECHA)
- **Biodegradation**
 - [Phenol polymer with formaldehyde] : Readily biodegradable, 80% degradation (O2 consumption) 10day (ISO DIS 9408)(ECHA)

D. Mobility in soil

- [Phenol polymer with formaldehyde] : log Koc 2.804 dimensionless (ECHA)

E. Other adverse effects

- Not available

13. DISPOSAL CONSIDERATIONS

A. Disposal methods

- It shall be treated by incineration
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable
- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them

B. Special precautions for disposal

- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according to the Wastes Control Act
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

A. UN No. (IMDG CODE/IATA DGR)

- Not applicable

B. Proper shipping name

- Not applicable

C. Hazard Class

- Not applicable

D. IMDG CODE/IATA DGR Packing group

- Not applicable

E. Marine pollutant

- Not applicable

F. Special precautions for user related to transport or transportation measures

- Air transport(IATA): Not subject to IATA regulations.
- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE :Not available
- EmS SPILLAGE SCHEDULE :Not available

15. REGULATORY INFORMATION

A. National and/or international regulatory information

o POPs Management Law

- [Aluminium oxide] : Not applicable
- [Etc] : Not applicable
- [Phenol polymer with formaldehyde] : Not applicable
- [Limestone] : Not applicable
- [Acetic acid ethenyl ester polymer with ethenol] : Not applicable
- [Others2] : Not applicable

o Information of EU Classification

*** Classification**

- Not applicable

o U.S. Federal regulations

*** OSHA PROCESS SAFETY (29CFR1910.119)**

- Not applicable

*** CERCLA Section 103 (40CFR302.4)**

- Not applicable

*** EPCRA Section 302 (40CFR355.30)**

- Not applicable

*** EPCRA Section 304 (40CFR355.40)**

- Not applicable

*** EPCRA Section 313 (40CFR372.65)**

- [Aluminium oxide] : Applicable

o Rotterdam Convention listed ingredients

- Not applicable

o Stockholm Convention listed ingredients

- Not applicable

- **Montreal Protocol listed ingredients**

- Not applicable

- **U.S. State Regulations**

- * California Proposition 65**

-  **WARNING** : This product can expose you to Formaldehyde and Titanoum dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

16. OTHER INFORMATION

A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.

- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

B. Issue date

- 2013-12-01

C. Revision number and Last date revised

- Not applicable

D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).